





Sound can beckon to the core of our emotions. What begins as a singular wave can multiply and curiously sync together, eventually inciting a poignant experience within each of us.


Introducing Major Frequency: One, the first wave in a series of inspiration rooted in the realization of sound's power. Through two organic patterns expressed in 13 unhindered color options, this collection explores the possibilities that exist within raw and unencumbered cymatics.


MAJOR FREQUENCY: ONE




































COLOR LINE IN VIBRATION COLOR LINE IN DISTORTION



(These images are only for color reference)








(These images are only for color reference)

26 27






MULTI-TILE DESIGNS

The Major Frequency: One designs are multi-tile designs.

Orders will ship as a randomised assortment of all elements.

Vibration



VBN141-79-209 RUSTLE

Distortion



DTN141-79-209RUSTLE



Major Frequency: One

Vibration / Distortion

SPECIFICATION

Construction - Tufted, Textured Loop

Tile Size - 25cm X 100cm

Face Fiber - 100% Milliken Certified Nylon

Dye Method - Solution Dyed

 $\textbf{Standard Backing} \text{ - PVC-Free WellBAC}^{\text{TM}} \text{Comfort}$

Available with TractionBack®

Nominal Total Thickness - 8.4 mm AVG.(Vibration)

8.6 mm AVG.(Distortion)

Flammability - ≥ 0.45 (Class I)

Texture Appearance Retention Rating (TARR) - Severe **Indoor Air Quality - CRI Green Label Plus™**

GLP100130, Carpet Category 13X

技术指标

结构 - 簇绒织造圈绒结构

产品尺寸 - 25厘米 X 100厘米

表层纤维 - 100% 美利肯认证尼龙

染色技术 - 原液染色

标准底垫 - 不含PVC之 WellBAC™ Comfort舒适软底

可选装TractionBack® 免胶

额定总厚度 - 8.4 毫米 平均(Vibration)

8.6 毫米 平均(Distortion)

阻燃性 - ≥ 0.45 (一级)

外观保持等级 (TARR) - 重度商业使用

室内空气质量 CRI Green Label Plus™ - GLP100130, 地毯类别 13X

Installation Method: 安装方式



Planks 板条安装

TractionBack®

Simplify your modular installation with Milliken's patented TractionBack®, an innovative backing system that is faster, more cost efficient, and environmentally superior to wet adhesives and peel-and-stick expect till.

www.millikencarpet.com











Declare

North & North West & South West Of China T +86 10 6465 1206 T +86 133 0101 8460 South of China & HK & Macau

T +86 181 1743 0032 East & Central of China T +86 21 6145 1758 Bangalore T +91 98408 98963 Delhi T +91 95010 11800 Hyderabad T +91 99631 64059 Mumbai T +91 98926 00362 Rest of Asia Manila T +63 915 816 7127 Seoul T +82 2 3783 0747

Singapore T +65 6593 1301 Tokyo T +81 3 5203 8406

Jakarta T +6221 2960 7222