




Point 3



Point 5



**COMMON
THREAD 2.0**

Point 3 / Point 5

Milliken



Point 3 in Giant Sequoia, monolithic installation



Point 5 in Giant Sequoia, monolithic installation



Point 3 in Giant Sequoia with Lava, monolithic installation



Point 5 in Giant Sequoia with Lava, monolithic installation



Point 3 and Point 5 in Giant Sequoia and Giant Sequoia with Lava, monolithic installation



INSPIRED. INSPIRING.

源于灵感 智启灵感

The beauty of nature appears both purposeful and accidental. This mix of randomness and order provides the unique patterning that only nature can create. Take the skin of a tree, for instance. A tree ages, then sheds and renews its layers revealing distinctive scales and textures of bark patterns.

Our design journey started with a single organic pattern and progressed with the exploration of adjusting, dispersing and defining scale. Our reward is a family of patterns that seamlessly and organically shift into each other.


A common thread of bright accents further illuminates this dynamic shifting, providing designers with boundless opportunities to define space.

Point 3 - Small Scale

PT25 GIANT SEQUOIA



PT147-25 GIANT SEQUOIA WITH LAVA





Point 5 - Medium Scale

PF25 GIANT SEQUOIA



PF147-25 GIANT SEQUOIA WITH LAVA





Point 5 in White Oak and White Oak with Ochre, Formwork 2.0 in Zest, monolithic installation



PF209 WHITE OAK



PF166-209
WHITE OAK WITH OCHRE



FWK105 ZEST



Point 5 in White Oak and White Oak with Ochre, Formwork 2.0 in Zest, monolithic installation



Point 3 and Point 5 in Alerce and Alerce with Electric, Formwork 2.0 in Electric, monolithic installation




PT174 ALERCE



PT159-183-174
ALERCE WITH ELECTRIC




PF174 ALERCE



PF159-183-174
ALERCE WITH ELECTRIC




FWK159-183 ELECTRIC



Point 3 and Point 5 in Alerce and Alerce with Electric, Formwork 2.0 in Electric, monolithic installation



Point 3 in Banyan, Point 5 in Banyan and Banyan with Saffron, monolithic installation



PT118 BANYAN



PF118 BANYAN



PF105-118
BANYAN WITH SAFFRON



Point 3 in Banyan, Point 5 in Banyan and Banyan with Saffron, monolithic installation



Point 3 and Point 5 in Cypress and Cypress with Aluminum, monolithic installation



PT154 CYPRESS




PT144-154
CYPRESS WITH ALUMINUM




PF154 CYPRESS



PF144-154
CYPRESS WITH ALUMINUM




Point 3 and Point 5 in Cypress and Cypress with Aluminum, monolithic installation



Point 3 and Point 5 in Betula and Betula with Pistachio, monolithic installation



PT133 BETULA




PT141-133
BETULA WITH PISTACHIO



PF133 BETULA



PF141-133
BETULA WITH PISTACHIO



Point 3 and Point 5 in Betula and Betula with Pistachio, monolithic installation

COLORLINE

Point 3



PT209 WHITE OAK



PT174 ALERCE



PT25 GIANT SEQUOIA



PT118 BANYAN




PT154 CYPRESS




PT133 BETULA




PT166-209
WHITE OAK WITH OCHRE



PT159-183-174
ALERCE WITH ELECTRIC




PT147-25
GIANT SEQUOIA WITH LAVA



PT105-118
BANYAN WITH SAFFRON




PT144-154
CYPRESS WITH ALUMINUM



PT141-133
BETULA WITH PISTACHIO

Point 5




PF209 WHITE OAK



PF174 ALERCE



PF25 GIANT SEQUOIA




PF118 BANYAN




PF154 CYPRESS




PF133 BETULA




PF166-209
WHITE OAK WITH OCHRE



PF159-183-174
ALERCE WITH ELECTRIC




PF147-25
GIANT SEQUOIA WITH LAVA



PF105-118
BANYAN WITH SAFFRON



PF144-154
CYPRESS WITH ALUMINUM



PF141-133
BETULA WITH PISTACHIO

Accent Options



FWK105 ZEST




FWK159-183 ELECTRIC



FWK147 LAVA



FWK105-135 SAFFRON



FWK144 ALUMINUM



FWK103-141 PISTACHIO

COMMON THREAD 2.0

Point 3 / Point 5

SPECIFICATION

Construction - Tufted, Textured Loop

Tile Size - 50cm X 50cm (19.7" X 19.7")

Face Fiber - 100% Milliken Certified Nylon

Dye Method - Solution Dyed

Standard Backing - PVC-Free WellBAC™ Function

Available with TractionBack®

Nominal Total Thickness - 5.3 mm AVG.

Flammability - ≥ 0.45 (Class I)

Texture Appearance Retention Rating (TARR) - Heavy

Indoor Air Quality - CRI Green Label Plus™

GLP3200, Carpet Category 14X

技术指标

结构 - 簇绒织造圈绒结构

产品尺寸 - 50厘米 X 50厘米 (19.7 X 19.7英寸)

表层纤维 - 100% 美利肯认证尼龙

染色技术 - 原液染色

标准底垫 - 不含PVC之 WellBAC™ Function弹性底背

可选装TractionBack® 免胶

额定总厚度 - 5.3 毫米 平均

阻燃性 - ≥ 0.45 (一级)

外观保持等级 (TARR) - 频繁商业使用

室内空气质量 CRI Green Label Plus™ - GLP3200, 地毯类别 14X

Installation Method :

安装方式



Monolithic
同一方向安装

TractionBack®

Simplify your modular installation with Milliken's patented TractionBack®, an innovative backing system that is faster, more cost efficient, and environmentally superior to wet adhesives and peel-and-stick carpet tile.

www.millikencarpet.com



Declare.

China
North & North West &
South West Of China
T +86 10 6465 1206
T +86 133 0101 8460
South of China &
HK & Macau
T +86 181 1743 0032
East & Central of China
T +86 21 6145 1758

India
Bangalore
T +91 98408 98963
Delhi
T +91 95010 11800
Hyderabad
T +91 99631 64059
Mumbai
T +91 98926 00362

Rest of Asia
Manila
T +63 915 816 7127
Seoul
T +82 2 3783 0747
Singapore
T +65 6593 1301
Tokyo
T +81 3 5203 8406
Jakarta
T +6221 2960 7222

