




# CHANGE AGENT

*LVT & CARPET*



Milliken™




# CHANGE AGENT

Brushed Metal / Magnetic Field



Brushed Metal



Magnetic Field



PRICE

Milliken™

# CHANGE AGENT

It may seem the broad concepts of science and magic live on opposite ends of the spectrum. Science strives to understand and explain, while magic relies on the mystical possibilities of the unknown. Yet the goal of each is much more similar than one may initially think. They both share a desire to achieve complete transformation.

Introducing Change Agent, a new modular carpet collection influenced by the process of metal encountering a catalyst and being driven to radically change. Examine evolving perspectives with two patterns, Magnetic Field and Brushed Metal, offered in a selection of 16 affected colors. Whether it be science, magic, or a bit of both, Change Agent modular carpet expresses the beauty found within extensive transformation.

A CATALYST OF  
TRANSFORMATION





50CM X 100CM

25CM X 100CM

### **BRUSHED METAL**



50CM X 100CM

25CM X 100CM

### **MAGNETIC FIELD**


Offered in two sizes, 50cm x 100cm planks as well as 25cm x 100cm planks, Brushed Metal and Magnetic Field both profoundly express the possibilities found in transformation. Displaying polished, unidirectional movement, **Brushed Metal** intrigues with a gradient of alternating tones in softened, yet distinctive forms. Intricate and a bit more granular, **Magnetic Field** expresses multi-directional movement with coarsely detailed accents.



EXAMINE EVOLVING PERSPECTIVES
















**SPECIFICALLY DESIGNED** to complement one another, the complete Change Agent collection offers styles in both modular carpet and LVT categories. Seamlessly mix, match and pair together to create one gorgeously continuous floorscape.

COLOR LINE IN BRUSHED METAL




BRU212  
ELEMENT



BRU5  
OXIDIZE



BRU152  
FALLOUT



BRU131-25  
FORMULA



BRU39  
DISTILL



BRU69  
KINETIC



BRU238-199-108  
ALKALI



BRU243-260  
SALINE



BRU83-45  
NEUTRALIZE



BRU67  
THERMAL



BRU181-38  
CATALYZE



BRU199  
ACTIVATE



BRU45  
COMBUST



BRU152-79  
IODIZE



BRU107-131  
STEEL



BRU119-264  
ACID

COLOR LINE IN MAGNETIC FIELD




MAG212  
ELEMENT



MAG5  
OXIDIZE



MAG152  
FALLOUT



MAG131-25  
FORMULA



MAG39  
DISTILL



MAG69  
KINETIC



MAG238-199-108  
ALKALI



MAG243-260  
SALINE



MAG83-45  
NEUTRALIZE



MAG67  
THERMAL




MAG181-38  
CATALYZE




MAG199  
ACTIVATE



MAG45  
COMBUST



MAG152-79  
IODIZE



MAG107-131  
STEEL



MAG119-264  
ACID

# STYLE BACKED BY PERFORMANCE

Milliken Floor Covering offers products and expertise in all areas of your commercial spaces, including high-performance entryway systems, modular and broadloom carpet, luxury vinyl tile and milliCare®. Simplify your flooring projects by working with a trusted partner that lets you focus on enjoying the process of creating a great space.

Milliken™

## Complete Performance and Support

### ENTRYWAY SYSTEMS

Great architecture and design aren't just about managing all that goes into an effective, attractive space. It's also about what's intentionally kept out. That's why the protective flooring experts at Milliken created OBEX,™ a comprehensive entrance system with a range of proven forms and materials. OBEX equips architects, engineers and specifiers with all they need to create site-specific, high-performing entries, without compromising their project's overall design.

### MODULAR CARPET AND BROADLOOM

Milliken's broadloom and carpet tile incorporate the latest innovations in tufting and dyeing technology, achieving unique looks and excellent performance. All carpet tile products have cushion backing for an extended lifespan, as well as ergonomic and environmental benefits.

### LUXURY VINYL TILE

From natural looks of wood and stone to more modern textures and abstracts, Milliken's collection of Luxury Vinyl Tile flooring creates new options for a commercial or hospitality interior. Our simple-to-search Color Reference system provides easy coordination of the LVT options to modular and broadloom carpets.

### MILLICARE®

milliCare takes caring for your flooring and textiles off your to-do list, which means you can skip right to the part where you get to lean back, put your hands behind your head, and be a hero for keeping a beautifully cleaned space.



### WARRANTY

Our products are backed by lifetime commercial warranties that ensure quality and give peace of mind. Milliken stands behind its products in the areas of Face Fiber Wear, Staining/Soiling Resistance, Color Pattern Permanency, Delamination of Backing, Edge Ravel, Tuft Bind, Floor Compatibility, Antistatic, Flammability, Cushion Resiliency, Dimensional Stability, Floor Release, TractionBack and Moisture Resistance. » [millikenfloors.com/warranty](http://millikenfloors.com/warranty)



### SUSTAINABILITY

Core to our culture, we embrace sustainability with practices such as third party voluntary product labeling and certifications, zero waste to landfill since 1992, use of renewable energy, product life cycle assessments, ISO 9000 quality standards and all of our manufacturing sites are certified to the highest global environmental standard - ISO 14001 certified. » [millikenfloors.com/sustainability](http://millikenfloors.com/sustainability)



### STAINSMART®

StainSmart, a proprietary treatment applied to Milliken carpets designed to repel and protect against stains and enhance soil release. » [millikenfloors.com/stainSMART](http://millikenfloors.com/stainSMART)



### MOISTURE MANAGEMENT

Milliken modular carpet is a moisture mitigation solution all by itself. Unlike with hardback products, water vapor has a way to escape from beneath Milliken's cushion backing. It travels freely through our open-cell cushion, evaporating naturally through seams at the edges of each carpet tile. All modular carpet tiles come with a lifetime warranty against adhesive breakdown due to moisture vapor emissions. » [millikenfloors.com/moisture](http://millikenfloors.com/moisture)



### WELLBAC™ CUSHION

WellBAC™ cushion provides superior underfoot comfort while improving the carpet's durability and offering ergonomic, acoustic and environmental benefits. » [millikenfloors.com/cushion](http://millikenfloors.com/cushion)



### SIT TO STAND

Avoid the hassle and expense of using anti-fatigue mats under sit-to-stand workstations. Milliken cushion backed carpet tiles have ergonomics built directly into the carpet tiles themselves. » [millikenfloors.com/sit2stand](http://millikenfloors.com/sit2stand)



### TRACTIONBACK®

Our bio-based, high-friction coating keeps carpet tiles securely in-place without additional adhesives, eliminating the need to prime or seal the floor, thereby reducing installation time and costs. » [millikenfloors.com/tractionback](http://millikenfloors.com/tractionback)

# CHANGE AGENT

Brushed Metal / Magnetic Field

## DESIGNED TO SEAMLESSLY COORDINATE

The metal-inspired style options found in Change Agent were designed to be paired together as well as with their wood and stone-inspired counterparts, found in the Change Agent LVT collection. With complementing colors and tile sizes, mix and match between designs to create seamless flow from one space to the next without the interruption of transitions.

## SUSTAINABLE FEATURES OF THIS PRODUCT

**Change Agent** is manufactured with WellBAC™ Comfort cushion backing, and is certified NSF-140 Gold with 39.3% pre-consumer recycled content by total product weight. **Change Agent** is also available with our NSF-140 Platinum backing option. All Milliken modular carpets carry Environmental Product Declarations and Health Product Declarations, which contribute to LEED certification. Additionally, Milliken modular carpets carry Declare® transparency labels and comply with the Red List Imperative of the Living Building Challenge.™

### Construction

Tufted, Textured Loop

### Tile Sizes

25 cm x 100 cm (9.85" x 39.4")

50 cm x 100 cm (19.7" x 39.4")

### Yarn Type

Milliken-Certified WearOn® Nylon, Type 6,6

### Stain Repel & Resist / Soil Release

StainSmart®

### Finished Pile Height

0.13" (3.30 mm)

### Finished Pile Thickness

0.08" (2.03 mm)

### Average Density

6,541

### Standard Backing

PVC-Free WellBAC™

Comfort Cushion

Available with TractionBack®

### Texture Appearance Retention Rating (TARR)

Severe Traffic End-Use Applications

## Recommended Installation Methods



ALL PLANK METHODS

### TractionBack®

Simplify your modular installation with Milliken's patented TractionBack®, an innovative backing system that is faster, more cost efficient, and environmentally superior to wet adhesives and peel-and-stick carpet tile.



Declare.




## Growing greener for over 100 years.

This product has a UL® Environment 3<sup>rd</sup> party verified Environmental Product Declaration (EPD).

A copy of the EPD is available online at [millikencarpet.com/epd](http://millikencarpet.com/epd) and [productguide.ulenvironment.com](http://productguide.ulenvironment.com).

This WellBAC™ cushion carpet tile product is covered by one or more patents, published applications and/or patents pending. Specifications are subject to normal manufacturing tolerances and may be changed without prior notice. Images in this brochure are approximate for color and pattern scale. Please use actual carpet samples to make your final selections.



**CHANGE AGENT**  
Relic

 FLEXFORM™ LVT



*Milliken*™



# CHANGE AGENT


LUXURY VINYL TILE

It may seem the broad concepts of science and magic live on opposite ends of the spectrum. Science strives to understand and explain, while magic relies on the mystical possibilities of the unknown. Yet the goal of each is much more similar than one may initially think. They both share a desire to achieve complete transformation.

Introducing Change Agent, a new LVT collection influenced by the transcendent act of bringing forth new purpose from natural materials. Capturing the essence of aged stone to charred and petrified wood, explore fresh perspectives offered in an assortment of reimagined neutrals. Whether it be science, magic, or a bit of both, Change Agent expresses the beauty found within perpetual transformation.



A CATALYST OF  
TRANSFORMATION



**RELIC**

Full of elegant texture and depth, Relic mirrors the transformation of aged stone.

25 CM X 100 CM

**SPECIFICALLY DESIGNED** to complement one another, the complete Change Agent collection offers styles in both modular carpet and LVT categories. Seamlessly mix, match and pair together to create one gorgeously continuous floorscape.

Relic in Heirloom REL6 and Rune REL 220. 25cm x100cm planks. Change Agent modular carpet, Magnetic Field in Thermal MAG67. 25cm x 100cm planks. Herringbone.



Installation



Detail

**Rune** REL220



Installation



Detail

**Philosophy** REL44



Installation



Detail

**Virtue** REL81



Installation



Detail

**Shrine** REL98



Installation



Detail

**Antiquity** REL152



Installation



Detail

**Heirloom** REL6



Installation



Detail

**Artifact** REL78



Installation



Detail

**Elixir** REL108



Installation



Detail

**Hero** REL260



Installation



Detail

**Figure** REL174



Installation



Detail

**Fortune** REL149




Installation



Detail

**Quest** REL120



**WEAR LAYER THICKNESS**  
22 mil (0.55 mm)

**OVERALL THICKNESS**  
.197" (5 mm)

- 1. PROGUARD MAX™ REINFORCED POLYURETHANE COATING**  
Integrated surface technology provides best in class scratch & stain resistance, eliminates the need for polishes, and harsh chemical treatments.
- 2. WEAR LAYER**  
Heavy commercial grade 22 mil transparent wear layer protects the print visuals and ensures product performs in heavy foot traffic.
- 3. PRINTED LAYER**  
State of the art printing technology providing authentic visuals and designs.
- 4. INTEGRAL SOUND ABSORPTION LAYER**  
Provides improved acoustical performance and supports comfort underfoot.
- 5. GLASS FIBER LAYER**  
Supports dimensional stability.
- 6. HIGH PERFORMANCE CORE LAYER**  
Ensures excellent durability, stability and long term performance.
- 7. BACKING LAYER**  
Engineered balance layer provides stability and durability of the product.

**SHIPPING INFORMATION**

DESIGN NAME	TILE SIZES	PCS / CARTON	FT <sup>2</sup> /BOX
Relic	25cm x 100cm	10	26.91

RELIC  MODERATE



RUNE REL220



PHILOSOPHY REL44



VIRTUE REL81



SHRINE REL98



ANTIQUITY REL152



HEIRLOOM REL6



ARTIFACT REL78



FORTUNE REL149



HERO REL260



ELIXIR REL108




FIGURE REL174



QUEST REL120

VARIATION THROUGH EXPERIMENTATION

Just as texture and physical appearance will vary in samples of aged stone or petrified wood, beautiful variations of shade within Relic are found in this unique LVT product. The shade variation guide below reflects our LVT styles ranging from low, to moderate, to high. Low shade variation features soft and subtle gradations. Moderate shade variation contains a more distinguishable variety of hue. And high shade variation models the highest level of contrast. Relic has MODERATE shade variation.

SHADE VARIATION GUIDE



# STYLE BACKED BY PERFORMANCE

Milliken Floor Covering offers products and expertise in all areas of your commercial spaces, including high-performance entryway systems, modular and broadloom carpet, luxury vinyl tile and milliCare®. Simplify your flooring projects by working with a trusted partner that lets you focus on enjoying the process of creating a great space.

## Complete Performance and Support

### LUXURY VINYL TILE

Change Agent's FlexForm™ is the latest addition to Milliken's LVT product line and coordinates with other Milliken product families. From natural looks of wood and stone to more modern textures and abstracts, Milliken's collection of Luxury Vinyl Tile flooring creates new options for a commercial or hospitality interior. Our simple-to-search Color Reference system provides easy coordination of the LVT options to modular and broadloom carpets.

### ENTRYWAY SYSTEMS

Great architecture and design aren't just about managing all that goes into an effective, attractive space. It's also about what's intentionally kept out. That's why the protective flooring experts at Milliken created OBEX™, a comprehensive entrance system with a range of proven forms and materials. OBEX equips architects, engineers and specifiers with all they need to create site-specific, high-performing entries, without compromising their project's overall design.

### MODULAR CARPET AND BROADLOOM

Milliken's broadloom and carpet tile incorporate the latest innovations in tufting and dyeing technology, achieving unique looks and excellent performance. All carpet tile products have cushion backing for an extended lifespan, as well as ergonomic and environmental benefits.

### MILLICARE®

milliCare takes caring for your flooring and textiles off your to-do list, which means you can skip right to the part where you get to lean back, put your hands behind your head, and be a hero for keeping a beautifully cleaned space.


## LVT that works smarter *and* harder

#### FLEXFORM™



- A multi layer construction engineered to provide dimensional stability, resistance to impact and durability.
- Improved acoustical performance and supports comfort underfoot.
- Meets stringent environmental standards and is 100% ortho-phthalate-free.

#### LOOSE LAY



- Simple, no-hassle installation.
- Versatile and easy to move repair and replace from one space to another.
- Ability to be installed with or without adhesive.

#### PROGUARD MAX™



- ProGuard Max's integrated surface technology provides best in class scratch & stain resistance, eliminates the need for polishes, and harsh chemical treatments.
- Milliken's durable 22 mil wear layer ensures product performs in most heavy commercial environments.
- Saves on maintenance costs and improves overall Indoor Air Quality (IAQ) performance.



### WARRANTY

Milliken Luxury Vinyl Tile products are backed by a 15 year Heavy Commercial & Lifetime Residential wear warranty, ensuring quality and giving peace of mind. » [millikenfloors.com/warranty](http://millikenfloors.com/warranty)



### ENHANCED INVENTORY PROGRAM

With an enhanced inventory level for large installations containing select patterns and colors, Milliken's USA based inventory system makes it easy to respond as quickly as possible to your project needs.



### MOISTURE MANAGEMENT

With Milliken's specialty LVT adhesive, our Luxury Vinyl Tile products can be installed in environments encountering high moisture readings up to 99% Relative Humidity. » [millikenfloors.com/lvt](http://millikenfloors.com/lvt)



### SUSTAINABILITY

In keeping with Milliken's long-standing culture of sustainability, our Luxury Vinyl Tile products are 100% Ortho-Phthalate free. They do not contain problematic post-consumer recycled material. Further, Milliken's Luxury Vinyl Tiles are certified to the most stringent global environmental standards. » [millikenfloors.com/sustainability](http://millikenfloors.com/sustainability)

# CHANGE AGENT

## FLEXFORM™ LVT

### DESIGNED TO SEAMLESSLY COORDINATE

The wood and stone-inspired style options found in this collection were specifically designed to be paired together as well as with their soft surface counterparts, found in the Change Agent modular carpet collection. With complementing colors and tile sizes, mix and match between designs to create seamless flow from one space to the next without the interruption of transitions.



#### Construction

High Performance Luxury Vinyl Tile

#### Finish

ProGuard MAX™  
Polyurethane Coating

#### Wear Layer Thickness

22 mil (0.55 mm)

#### Overall Thickness

0.197" (5.0 mm)

#### Edge Profile

Micro Bevel

#### Critical Radiant Flux (ASTM E648)

Pass - Class I

#### Smoke Density (ASTM E662)

Pass - ≤ 450

#### Flexibility (ASTM F137)

Pass

#### Heat Stability by Color Change (ASTM F1514)

Pass

#### Light Stability (ASTM F1515)

Pass

#### Static Coefficient of Friction (ASTM D2047)

Pass

#### Dimensional Stability (ASTM F2199)

Pass

#### Resistance to Chemicals (ASTM F925)

Pass

#### Static Load Limit (ASTM F970)

Pass

#### Installation

Loose lay with perimeter glue

#### Warranty

20 Year Limited Commercial  
Wear Warranty

### LVT ENVIRONMENTAL STANDARDS

Milliken LVT is highly durable resilient flooring engineered with the highest quality raw materials to provide unsurpassed performance and enduring aesthetics. Milliken LVT is 100% ortho-phthalate-free. Milliken LVT is manufactured at facilities that are ISO 9001 and ISO 14001 compliant.



Specifications are subject to normal manufacturing tolerances and may be changed without prior notice. Images in this brochure are approximate for color and pattern scale. Please use actual product samples to make your final selections.



## CHANGE AGENT

Conjure / Rootwork

 FLEXFORM™ LVT



Milliken™




# CHANGE AGENT

## LUXURY VINYL TILE

It may seem the broad concepts of science and magic live on opposite ends of the spectrum. Science strives to understand and explain, while magic relies on the mystical possibilities of the unknown. Yet the goal of each is much more similar than one may initially think. They both share a desire to achieve complete transformation.

Introducing Change Agent, a new LVT collection influenced by the transcendent act of bringing forth new purpose from natural materials. With ranging styles capturing the essence of aged stone to charred and petrified wood, explore fresh perspectives offered in an assortment of reimagined neutrals. Whether it be science, magic, or a bit of both, Change Agent expresses the beauty found within perpetual transformation.

### A CATALYST OF TRANSFORMATION



**SPECIFICALLY DESIGNED** to complement one another, the complete Change Agent collection offers styles in both modular carpet and LVT categories. Seamlessly mix, match and pair together to create one gorgeously continuous floorscape.

### **ROOTWORK**

Rootwork is a classic approach, featuring natural dimension as well as a hint of gradation.


25CM X 150CM

### **CONJURE**

Conjure is grounded in a natural inspiration, but expresses a more textural aesthetic with charred-like accents.

25CM X 150CM

Rootwork in Revere RTW165. Conjure in Spirit CON144. 25cm x 150cm planks. Change Agent modular carpet, Magnetic Field in Formula MAG131-25. 25cm x 100cm planks. Random vertical ashlar.



Installation



Detail

**Preserve** CON96



Installation



Detail

**Divine** RTW214



Installation



Detail

**Arise** CON218



Installation



Detail

**Spirit** CON144



Installation



Detail

**Ember** CON69



Installation



Detail

**Ash** CON13



Installation



Detail

**Cycle** CON100



Installation



Detail

**Coal** CON118

ROOTWORK



Installation



Detail

**Revere** RTW165



Installation



Detail

**Heir** RTW67



Installation




Detail

**Prestige** RTW124



Installation



Detail

**Legend** RTW79



Installation



Detail

**Sacred** RTW235



Installation



Detail

**Harvest** RTW219



Installation



Detail

**Crest** RTW224




Installation



Detail

**Enchant** RTW204



**WEAR LAYER THICKNESS**  
22 mil (0.55 mm)


**OVERALL THICKNESS**  
.197" (5 mm)

- 1. PROGUARD MAX™ REINFORCED POLYURETHANE COATING**  
Integrated surface technology provides best in class scratch & stain resistance, eliminates the need for polishes, and harsh chemical treatments.
- 2. WEAR LAYER**  
Heavy commercial grade 22 mil transparent wear layer protects the print visuals and ensures product performs in heavy foot traffic.
- 3. PRINTED LAYER**  
State of the art printing technology providing authentic visuals and designs.
- 4. INTEGRAL SOUND ABSORPTION LAYER**  
Provides improved acoustical performance and supports comfort underfoot.
- 5. GLASS FIBER LAYER**  
Supports dimensional stability.
- 6. HIGH PERFORMANCE CORE LAYER**  
Ensures excellent durability, stability and long term performance.
- 7. BACKING LAYER**  
Engineered balance layer provides stability and durability of the product.

**SHIPPING INFORMATION**

DESIGN NAME	TILE SIZES	PCS / CARTON	FT <sup>2</sup> /BOX
Conjure	25cm x 150cm	6	24.22
Rootwork	25cm x 150cm	6	24.22

**CONJURE**  MODERATE



**ARISE** CON218      **SPIRIT** CON144



**EMBER** CON69      **PRESERVE** CON96



**ASH** CON13      **CYCLE** CON100




**COAL** CON118

**ROOTWORK**  LOW



**ENCHANT** RTW204      **HARVEST** RTW219      **SACRED** RTW235



**DIVINE** RTW214      **CREST** RTW224      **PRESTIGE** RTW124



**REVERE** RTW165      **HEIR** RTW67      **LEGEND** RTW79

**VARIATION THROUGH EXPERIMENTATION**

Just as texture and physical appearance will vary in samples of aged stone or petrified wood, beautiful variations of shade within Relic are found in this unique LVT product. The shade variation guide below reflects our LVT styles ranging from low, to moderate, to high. Low shade variation features soft and subtle gradations. Moderate shade variation contains a more distinguishable variety of hue. And high shade variation models the highest level of contrast. Conjure has MODERATE shade variation, while Rootwork has LOW shade variation.

**SHADE VARIATION GUIDE**



# STYLE BACKED BY PERFORMANCE

Milliken Floor Covering offers products and expertise in all areas of your commercial spaces, including high-performance entryway systems, modular and broadloom carpet, luxury vinyl tile and milliCare®. Simplify your flooring projects by working with a trusted partner that lets you focus on enjoying the process of creating a great space.

Milliken™

## Complete Performance and Support

### LUXURY VINYL TILE

Change Agent's FlexForm™ is the latest addition to Milliken's LVT product line and coordinates with other Milliken product families. From natural looks of wood and stone to more modern textures and abstracts, Milliken's collection of Luxury Vinyl Tile flooring creates new options for a commercial or hospitality interior. Our simple-to-search Color Reference system provides easy coordination of the LVT options to modular and broadloom carpets.

### ENTRYWAY SYSTEMS

Great architecture and design aren't just about managing all that goes into an effective, attractive space. It's also about what's intentionally kept out. That's why the protective flooring experts at Milliken created OBEX™, a comprehensive entrance system with a range of proven forms and materials. OBEX equips architects, engineers and specifiers with all they need to create site-specific, high-performing entries, without compromising their project's overall design.

### MODULAR CARPET AND BROADLOOM

Milliken's broadloom and carpet tile incorporate the latest innovations in tufting and dyeing technology, achieving unique looks and excellent performance. All carpet tile products have cushion backing for an extended lifespan, as well as ergonomic and environmental benefits.

### MILLCARE®

milliCare takes caring for your flooring and textiles off your to-do list, which means you can skip right to the part where you get to lean back, put your hands behind your head, and be a hero for keeping a beautifully cleaned space.


## LVT that works smarter *and* harder

### FLEXFORM™



- A multi layer construction engineered to provide dimensional stability, resistance to impact and durability.
- Improved acoustical performance and supports comfort underfoot.
- Meets stringent environmental standards and is 100% ortho-phthalate-free.

### LOOSE LAY



- Simple, no-hassle installation.
- Versatile and easy to move repair and replace from one space to another.
- Ability to be installed with or without adhesive.

### PROGUARD MAX™



- ProGuard Max's integrated surface technology provides best in class scratch & stain resistance, eliminates the need for polishes, and harsh chemical treatments.
- Milliken's durable 22 mil wear layer ensures product performs in most heavy commercial environments.
- Saves on maintenance costs and improves overall Indoor Air Quality (IAQ) performance.



### WARRANTY

Milliken Luxury Vinyl Tile products are backed by a 15 year Heavy Commercial & Lifetime Residential wear warranty, ensuring quality and giving peace of mind. » [millikenfloors.com/warranty](http://millikenfloors.com/warranty)



### ENHANCED INVENTORY PROGRAM

With an enhanced inventory level for large installations containing select patterns and colors, Milliken's USA based inventory system makes it easy to respond as quickly as possible to your project needs.



### MOISTURE MANAGEMENT

With Milliken's specialty LVT adhesive, our Luxury Vinyl Tile products can be installed in environments encountering high moisture readings up to 99% Relative Humidity. » [millikenfloors.com/lvt](http://millikenfloors.com/lvt)



### SUSTAINABILITY

In keeping with Milliken's long-standing culture of sustainability, our Luxury Vinyl Tile products are 100% Ortho-Phthalate free. They do not contain problematic post-consumer recycled material. Further, Milliken's Luxury Vinyl Tiles are certified to the most stringent global environmental standards. » [millikenfloors.com/sustainability](http://millikenfloors.com/sustainability)

# CHANGE AGENT

## FLEXFORM™ LVT

### DESIGNED TO SEAMLESSLY COORDINATE

The wood and stone-inspired style options found in this collection were specifically designed to be paired together as well as with their soft surface counterparts, found in the Change Agent modular carpet collection. With complementing colors and tile sizes, mix and match between designs to create seamless flow from one space to the next without the interruption of transitions.



#### Construction

High Performance Luxury Vinyl Tile

#### Finish

ProGuard MAX™  
Polyurethane Coating

#### Wear Layer Thickness

22 mil (0.55 mm)

#### Overall Thickness

0.197" (5.0 mm)

#### Edge Profile

Micro Bevel

#### Critical Radiant Flux (ASTM E648)

Pass - Class I

#### Smoke Density (ASTM E662)

Pass - ≤ 450

#### Flexibility (ASTM F137)

Pass

#### Heat Stability by Color Change (ASTM F1514)

Pass

#### Light Stability (ASTM F1515)

Pass

#### Static Coefficient of Friction (ASTM D2047)

Pass

#### Dimensional Stability (ASTM F2199)

Pass

#### Resistance to Chemicals (ASTM F925)

Pass

#### Static Load Limit (ASTM F970)

Pass

#### Installation

Loose lay with perimeter glue

#### Warranty

20Year Limited Commercial  
Wear Warranty

### LVT ENVIRONMENTAL STANDARDS

Milliken LVT is highly durable resilient flooring engineered with the highest quality raw materials to provide unsurpassed performance and enduring aesthetics. Milliken LVT is 100% ortho-phthalate-free. Milliken LVT is manufactured at facilities that are ISO 9001 and ISO 14001 compliant.



Specifications are subject to normal manufacturing tolerances and may be changed without prior notice. Images in this brochure are approximate for color and pattern scale. Please use actual product samples to make your final selections.